

Material Safety Data Sheet 42-S THIRAM FUNGICIDE

MSDS Number: 102000012786 MSDS Version 2.1

Chronic or Delayed Long-Term This product or its components may have target organ effects. This product or its

components may have long term (chronic) health effects.

Medical Conditions Aggravated by Exposure Individuals with allergic history or pre-existing dermatitis should use extra care in

handling this product.

Potential Environmental

Effect

Toxic to fish.

SECTION 4. FIRST AID MEASURES

General When possible, have the product container or label with you when calling a

poison control center or doctor or going for treatment.

Eye Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

eye. Call a physician or poison control center immediately.

Skin Take off contaminated clothing and shoes immediately. Wash off immediately

with plenty of water for at least 15 minutes. Call a physician or poison control

center immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth and give

water in small sips to drink. DO NOT induce vomiting unless directed to do so by

a physician or poison control center. Never give anything by mouth to an

unconscious person. Do not leave victim unattended.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give

artificial respiration, preferably mouth-to-mouth if possible. Call a physician or

poison control center immediately.

Notes to Physician

Signs and Ingestion may provoke the following symptoms:

Symptoms Nausea Vomiting

vomining

breathing difficulties

More severe effects if alcohol is consumed.

Treatment There is no specific antidote. Appropriate supportive and symptomatic treatment

as indicated by the patient's condition is recommended.

SECTION 5. FIRE FIGHTING MEASURES

Flash point > 93.4 °C / > 200.1 °F

Fire and Explosion

Hazards

Dangerous gases are evolved in the event of a fire.



MSDS Number: 102000012786 MSDS Version 2.1

Material Safety Data Sheet 42-S THIRAM FUNGICIDE

Suitable Extinguishing Media Foam, Carbon dioxide (CO2), Dry chemical, Water spray

Fire Fighting Instructions

Keep out of smoke. Fight fire from upwind position. Cool closed containers/ tanks exposed to fire with water spray. Do not allow run-off from fire fighting to

enter drains or water courses.

Firefighters should wear NIOSH approved self-contained breathing apparatus

and full protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled

product or contaminated surfaces.

Methods for Cleaning Up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing

environmental regulations.

Additional Advice Use personal protective equipment.

SECTION 7. HANDLING AND STORAGE

Handling Procedures Handle and open container in a manner as to prevent spillage. Maintain

exposure levels below the exposure limit through the use of general and local

exhaust ventilation.

Storing Procedures Store in a cool, dry place and in such a manner as to prevent cross

contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Work/Hygienic Procedures

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash

thoroughly and put on clean clothing.

Min/Max Storage Temperatures Do not transport or store below 0 °C / 32 °F Do not transport or store above 49 °C / 120 °F

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General Protection Follow all label instructions. Train employees in safe use of the product.



Material Safety Data Sheet 42-S THIRAM FUNGICIDE

MSDS Number: 102000012786 MSDS Version 2.1

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

Eye/Face Protection

Tightly fitting safety goggles

Hand Protection

Chemical resistant nitrile rubber gloves

Body Protection

Wear long-sleeved shirt and long pants and shoes plus socks.

Respiratory Protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Exposure Limits

Thiram	137-26-8	ACGIH	TWA	1 mg/m3
111114111		NIOSH	REL	5 mg/m3
		OSHA Z1	PEL	5 mg/m3
		OSHA Z1A	TWA	5 mg/m3
		US CA OEL	TWA PEL	5 mg/m3
		ACGIH NIC	TWA	0.05 mg/m3
		Form of expe	osure	Inhalable fraction and vapor
1,2-Propanediol	57-55-6	WEEL .	TWA	10 mg/m3
· ,— · · · - · · · · · · ·		Form of expe	osure	Aerosol.
Urea	57-13-6	WEEL	TWA	10 mg/m3

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

light cream

Physical State

liquid

рΗ

6.5 - 7.5 (undiluted)

Density

approx. 1.14 g/cm3 at 20 °C

Bulk Density

9-10 lb./gal.

Melting / Freezing Point

-9.4 - -6.7 °C / 15.1 - 19.9 °F

Water solubility

miscible

Viscosity

600 - 1,000 mPa.s

SECTION 10. STABILITY AND REACTIVITY



Material Safety Data Sheet 42-S THIRAM FUNGICIDE

MSDS Number: 102000012786 MSDS Version 2.1

Conditions to Avoid

Heat, flames and sparks.

Freezing

Incompatibility

Copper

Oxidizing agents Strong acids

Hazardous

Thermal decomposition can lead to release of:

Decomposition Products

Sulphur oxides carbon disulphide hydrogen sulfide nitrogen oxides (NOx)

Hazardous Reactions

Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Only acute toxicity studies have been performed on the formulated product. The non-acute information pertains to the technical-grade active ingredient, thiram.

Acute Oral Toxicity

male/female combined rat: LD50: 3,580 mg/kg

Acute Dermal Toxicity

rat: LD50: > 4,000 mg/kg

Acute Inhalation Toxicity

male/female combined rat: LC50: > 2.6 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

male/female combined rat: LC50: > 10.4 mg/l

Exposure time: 1 h

Determined in the form of liquid aerosol.

Extrapolated from the 4 hr LC50.

Skin Irritation

rabbit: Slight irritation.

Eye Irritation

rabbit: Slight irritation.

Sensitization

May cause sensitization by skin contact.

Chronic Toxicity

Thiram targeted the liver, blood and urinary system in chronic toxicity studies in

laboratory animals.

Assessment Carcinogenicity

Thiram did not demonstrate any biologically significant evidence of carcinogenic potential in rats and mice. EPA has classified thiram as "not likely to be carcinogenic to humans."

ACGIH

Thiram

137-26-8

Group A4



MSDS Number: 102000012786 MSDS Version 2.1

Overall evaluation: 3

Overall evaluation: 3

Material Safety Data Sheet 42-S THIRAM FUNGICIDE

NTP

None.

IARC

Thiram

Thiram

OSHA

None.

Reproductive &

Developmental Toxicity

REPRODUCTION: Thiram was not a reproductive toxicant in multi-generation

reproduction studies in rats.

DEVELOPMENTAL TOXICITY: Thiram is a developmental toxicant.

137-26-8

137-26-8

Neurotoxicity

Thiram caused neurotoxic effects (e.g. lethargy, reduced activity) in laboratory

animals.

Mutagenicity

Thiram was not mutagenic or genotoxic based on the overall weight of evidence

in a battery of in vitro and in vivo tests.

SECTION 12. ECOLOGICAL INFORMATION

Environmental **Precautions**

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Apply this product as specified on the label.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by

use according to label instructions, contact your State Pesticide or

Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Open dumping is prohibited.

Container Disposal

Do not re-use empty containers. Triple rinse containers. Puncture container to avoid re-use. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke.

RCRA Classification

The RCRA Classifications may be on the individual component(s) and not

necessarily on the product as a whole.

137-26-8

Thiram

US. EPA Resource Conservation and Recovery Act (RCRA) Composite List of Hazardous

Wastes and Appendix VIII Hazardous Constituents (40 CFR 261): U244

137-26-8

Thiram



Material Safety Data Sheet 42-S THIRAM FUNGICIDE

MSDS Number: 102000012786 MSDS Version 2.1

US. EPA Resource Conservation and Recovery Act (RCRA) U List of Hazardous Wastes (40 CFR 261.33(f) and 40 CFR 302 [CERCLA]): U244

SECTION 14. TRANSPORT INFORMATION

TRANSPORTATION CLASSIFICATION:

RQ, Environmentally Hazardous Substances, Liquid, N.O.S.(Thiram) // 9 // UN3082 // PG III

IMDG CLASSIFICATION:

RQ, Environmentally Hazardous Substances, Liquid, N.O.S.(Thiram) // 9 // UN3082 // PG III // Marine Pollutant

FREIGHT CLASSIFICATION:

Insecticides or Fungicides, N.O.I.; other than poison

SECTION 15. REGULATORY INFORMATION

EPA Registration No.

264-929

US Federal Regulations

TSCA list

Thiram
1,2-Propanediol

137-26-8

57-55-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Thiram

137-26-8

1.0%

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Thiram 137-26-8

CA, CT, IL, MN, NJ, PA, RI

1.2-Propanediol 57-55-6 MN, RI

Canadian Regulations

Canadian Domestic Substance List

Thiram 137-26-8 1,2-Propanediol 57-55-6

Environmental



Material Safety Data Sheet 42-S THIRAM FUNGICIDE

MSDS Number: 102000012786 MSDS Version 2.1

CERCLA

Thiram 137-26-8

10 lbs

Clean Water Section 307 Priority Pollutants

None

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Thiram 137-26-8 1,2-Propanediol 57-55-6

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Reactivity - 1 Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: Updated Section 11: Toxicological Information.

Revision Date: 06/18/2007

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.



MATERIAL SAFETY DATA SHEET

Syngenta Crop Protection, Inc.

Post Office Box 18300

Greensboro, NC 27419

In Case of Emergency, Call 1-800-888-8372

1. PRODUCT IDENTIFICATION

Product Name:

APRON XL LS

Product No.: A9382A

EPA Signal Word:

Warning

Active Ingredient(%):

Mefenoxam (33.3%)

CAS No.:

70630-17-0 & 69516-34-3

Chemical Name: Chemical Class: (R,S)-2-[(2,6-dimethylphenyl)-methoxyacetylamino]-propionic acid methyl ester Phenylamide Fungicide

EPA Registration Number(s): 100-799

Section(s) Revised: 8

2. COMPOSITION/INFORMATION ON INGREDIENTS

Material

OSHA PEL ACGIH

Other

NTP/IARC/OSHA

Carcinogen

Mefenoxam (33.3%)

Not Established

Not Established

Not Established

No

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications. Syngenta Hazard Category: B, S

3. HAZARDS IDENTIFICATION

Symptoms of Acute Exposure

May be irritating to eyes, skin and respiratory tract.

Hazardous Decomposition Products

Can decompose at high temperatures forming toxic gases.

Physical Properties

Appearance:

Amber liquid

Odor:

Light oily/petroleum

Unusual Fire, Explosion and Reactivity Hazards

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

4. FIRST AID MEASURES

Have the product container, label or Material Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison contol center or doctor, or going for treatment.

Ingestion:

If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an

unconscious person.

Eye Contact:

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center

or doctor for treatment advice.

Product Name: APRON XL LS

Page: 1

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-

20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or

doctor for further treatment advice.

Notes to Physician

There is no specific antidote if this product is ingested.

Treat symptomatically.

Medical Condition Likely to be Aggravated by Exposure

None known.

5. FIRE FIGHTING MEASURES

Fire and Explosion

Flash Point (Test Method):

> 200°F

Flammable Limits (% in Air):

Lower: % Not Applicable

Upper: % Not Applicable

Autoignition Temperature:

Not Available

Flammability:

Not Applicable

Unusual Fire, Explosion and Reactivity Hazards

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

In Case of Fire

Use dry chemical, foam or CO2 extinguishing media. Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water runoff can cause environmental damage. If water is used to fight fire, dike and collect runoff.

6. ACCIDENTAL RELEASE MEASURES

In Case of Spill or Leak

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING AND USE OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Ingestion: Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for

exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact: Where eye contact is likely, use chemical splash goggles. Facilities storing or utilizing this material should

be equipped with an eyewash facility and a safety shower.

Skin Contact: Where contact is likely, wear chemical-resistant (such as nitrile or butyl) gloves, coveralls, socks and

chemical-resistant footwear. For overhead exposure, wear chemical-resistant headgear.

Inhalation: A respirator is not normally required when handling this substance. Use effective engineering controls to

comply with occupational exposure limits.

Product Name: APRON XL LS

Page: 2

In case of emergency spills, use a NIOSH approved respirator with any N, R, P or HE filter.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Amber liquid

Odor:

Light oily/petroleum

Melting Point:

Not Applicable

Boiling Point:

Not Available

Specific Gravity/Density: 1.11 g/ml

pH:

5 - 7 (1% suspension in water)

Solubility in H2O

Mefenoxam:

26 g/l @ 77°F (25°C)

Vapor Pressure

Mefenoxam:

2.5 x 10(-5) mmHg @ 77°F (25°C)

10. STABILITY AND REACTIVITY

Stability:

Stable under normal use and storage conditions.

Hazardous Polymerization:

Will not occur.

Conditions to Avoid:

None known.

Materials to Avoid:

None known.

Hazardous Decomposition Products:

Can decompose at high temperatures forming toxic gases.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity/Irritation Studies (Finished Product)

Ingestion:

Slightly Toxic

Oral (LD50 Rat):

862 mg/kg body weight

Dermal:

Slightly Toxic

Dermal (LD50 Rabbit):

> 2,020 mg/kg body weight

Inhalation:

Slightly Toxic

Inhalation (LC50 Rat):

2.52 mg/l air - 4 hours

Page: 3

Eye Contact:

Moderately Irritating (Rabbit) Slightly Irritating (Rabbit)

Skin Contact: Skin Sensitization:

Not a Sensitizer (Guinea Pig)

Reproductive/Developmental Effects

Mefenoxam:

None observed.

Chronic/Subchronic Toxicity Studies

Mefenoxam:

Liver effects at high dose levels.

Carcinogenicity

Mefenoxam:

None observed.

Other Toxicity Information

None

Toxicity of Other Components

Not Applicable

Target Organs

Active Ingredients

Mefenoxam:

Liver

Product Name: APRON XL LS :

Not Applicable

12. ECOLOGICAL INFORMATION

Summary of Effects

Mefenoxam:

Practically non-toxic to aquatic organisms and wildlife.

Eco-Acute Toxicity

Mefenoxam:

Bees LC50/EC50 > 25 ug/bee

Invertebrates (Water Flea) LC50/EC50 > 113 ppm

Fish (Trout) LC50/EC50 > 121 ppm

Birds (8-day dietary - Bobwhite Quail) LC50/EC50 5,620 ppm

Eco-Chronic Toxicity

Mefenoxam:

Not Available

Environmental Fate

Mefenoxam:

The information presented here is for the active ingredient, mefenoxam.

Does not bioaccumulate. Not persistent in soil or water. Moderate mobility in soil. Mixes/sinks (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA

Not regulated.

B/L Freight Classification

Fungicides, NOIBN, o/t poison

Comments

None.

15. REGULATORY INFORMATION

EPCRA SARA Title III Classification

Section 311/312 Hazard Classes: Acute Health Hazard

Section 313 Toxic Chemicals: Not Applicable

California Proposition 65

Not Applicable

CERCLA/SARA 302 Reportable Quantity (RQ)

None

RCRA Hazardous Waste Classification (40 CFR 261)

Not Applicable

TSCA Status

Exempt from TSCA, subject to FIFRA

Product Name: APRON XL LS

Page: 4

DIAMOND K

The Natural Sulfate of Potesh Producer

MATERIAL SAFETY DATA SHEET

SECTION I: PRODUCT IDENTIFICATI	ON
Product Name:	. Sulfate of Potash
Trade Name and Synonyms:	SOP, Arcanite, K2O crop nutrient
Formula;	
CAS Number:	.7778-80-5
Menufacturer's Name:	
Addmas	.765 North 10500 West, Ogden, Utah 84404
Phone:	801-731-3100
Issue Date:	November 30, 2001
1980@ DAG	, novelnes ou, coo i
SECTION II: HAZARDOUS INGREDIE N/A	NTS/IDENTITY INFORMATION
SECTION III: PHYSICAL/CHEMICAL	
Appearance:	. White crystals or brown granuler
Melting Point:	, 1952°F
Specific Gravity (H2O=1):	
Solubility:	. Soluble in water (1 pound per gallon at 77°F)
	Insoluble In alcohol
Volatile by Volume (%):	. N/A
• •	
SECTION IV: FIRE AND EXPLOSION	HAZARD DATA
Extinguishing Media:	. N/A
Special Fire Fighting Procedures:	, N/A
Unusual Fire and Explosion Hazards:	
National Fire Protection Association (NFPA	
4 = Savera, 3 = Sarlous, 2 = Moderate, 1 = Slight, 0	
Health (Blue)	
Flammability (Red)	
Reactivity (Yellow)	.0
• ,	
SECTION V: REACTIVITY DATA	•
Stability:	Stable
Incompatibility (Materials to avoid):	. N/A
Hazardous Decomposition or Byproducts:	SOx at temperatures above 19520s
I Men pass pressuper to the transfer of	Lauren aus aus den meren des AMMAR Lâns L



CONTINUED

Health Hazards:	Similar to sodium chloride (table salt)
Carcinogenicity:	.N/A
	Ingestion: Large doses may cause GI discomfort.

Skin: May cause initation.
Eyes: May cause initation.
Inhalation: May cause initation.

Skin: Flush with water. Eyes: Irrigate with water. Inhalation: Remove to fresh air.

SECTION VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Handling and Storage Precautions:..... As with similar powdered materials Sulfate Of Potash should be handled in a manner that prevents personal contact with the skin and eyes.

Wash hands after handling. Officer Precautions: Not for food or drug use.

non-hazardous waste when spilled or disposed of, as defined by RCRA regulations (40 CFR 261).

SECTION VIII: CONTROL MEASURES

SECTION VI: HEALTH HAZARD DATA

SECTION IX: SUPPLIER NOTIFICATION

SECTION X: CANADIAN REGULATIONS

Of Potash as Not A Controlled Product.

TDG Information: For guidance, the Canadian Transportation of

Dangerous Goods Classification for Sulfate Of

Potash is Not Requiated.

Judgments as to the sultability of information herein for purchaser's purposes are the purchaser's responsibility. Although reasonable care has been taken in the proparation of such information, the manufacturer extends no warranties, makes no representation, and assumes no responsibility as to the accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its use.

SunChemical

Performance Pigments**

Material Safety Data Sheet

Product and company identification

Product code

: RCD9000

Trade name

: C Series Red 48:2

Manufacturer

Sun Chemical Corporation 5020 Spring Grove Avenue Cincinnati, OH 45232-1999

Cincinnati - US +1 (513) 681-5950

Hazards identification 2 .

Physical state

: Liquid.

Color

: Red

OSHA/HCS status

: This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910,1200).

Emergency overview

: WARNING!

CAUSES EYE AND SKIN IRRITATION. MAY CAUSE ALLERGIC RESPIRATORY

REACTION.

Irritating to eyes and skin. May cause sensitization by inhalation. Do not breathe vapor or mist. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash thoroughly after

handling.

Potential acute health effects

Eves

: Irritating to eyes.

Skin Inhalation : Irritating to skin. May cause sensitization by inhalation. Exposure to decomposition products may cause

a health hazard. Serious effects may be delayed following exposure.

Ingestion

No known significant effects or critical hazards.

Carcinogenic effects

No known significant effects or critical hazards.

Mutagenic effects

No known significant effects or critical hazards,

Teratogenicity / Reproductive toxicity No known significant effects or critical hazards.

Medical conditions

addravated by over-

: Pre-existing respiratory disorders may be aggravated by over-exposure to this product.

exposure

See toxicological information (section 11)

Composition/information on ingredients 3.

Proprietary Ingredient: TSRN 00195201005-5100P

CAS number

<u>%</u> 5-10

First aid measures 4.

Eve contact

: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention.

Skin contact

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Inhalation

: Move exposed person to fresh air. If it is suspected that furnes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. In the event of any complaints or symptoms, avoid further exposure.

Ingestion

Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first-aiders

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing ald to give mouth-to-mouth resuscitation.

Fire-fighting measures 5.

Flammability of the product

: In a fire or if heated, a pressure increase will occur and the container may burst.

Products of combustion

: Decomposition products may include the following materials: carbon oxides

nitrogen oxides sulfur oxides

halogenated compounds metal oxide/oxides

Extinguishing media

Suitable

Not sultable

Special exposure hazards

: Use an extinguishing agent suitable for the surrounding fire.

: None known.

Promptly Isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Accidental release measures 6.

Personal precautions

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6. Accidental release measures

Methods for cleaning up

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7. Handling and storage

Handling

: Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Persons with a history of asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Consult local authorities for acceptable exposure limits.

Engineering measures

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Personal protection

Eyes

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, dases or dusts.

Skin

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands

 Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Physical and chemical properties

Physical state

: Liquid.

Color

: Red

10 . Stability and reactivity

Stability and reactivity

: The product is stable.

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

Toxicological information 11 .

Acute toxicity

Conclusion/Summary

; No known significant effects or critical hazards.

Chronic toxicity Conclusion/Summary : No known significant effects or critical hazards.

Carcinogenicity

: No known significant effects or critical hazards.

Conclusion/Summary Mutagenicity

Conclusion/Summary **Teratogenicity**

: No known significant effects or critical hazards.

Conclusion/Summary

: No known significant effects or critical hazards.

Reproductive toxicity Conclusion/Summary

: No known significant effects or critical hazards.

Ecological information

Environmental precautions

: No known significant effects or critical hazards.

Products of degradation

Products of degradation: carbon oxides (CO, CO₂) and water, nitrogen oxides (NO, NO₂ etc.), sulfur oxides (SO₂, SO₃ etc.), halogenated compounds. Some metallic oxides

13 . Disposal considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The Information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

RCD9000

14 . Transport information

Regulatory information	UN number	Proper shipping name	Class	PG*	Additional information
DOT Classification	Not regulated.	-	-	-	N. Company (1)

PG* : Packing group

15 . Regulatory information

HCS Classification

: Irritating material Sensitizing material

TSCA 8(b) Inventory U.S. Federal regulations Listed TSCA 8(a) PAIR: Dimethylpolysiloxane; Polydimethylsiloxane/Silica Adduct;

Octamethylcyclotetrasiloxane: Decamethylcyclopentasiloxane:

Dodecamethylcyclohexasiloxane

United States inventory (TSCA 8b): All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances. No products were found. SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: Propylene Glycol; Clay

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Propylene Glycol: Immediate (acute) health hazard, Delayed (chronic) health hazard; Proprietary Ingredient: TSRN 00195201005-5100P: Immediate (acute) health hazard; Clay: Delayed (chronic) health hazard

Clean Water Act (CWA) 307: No products were found. Clean Water Act (CWA) 311: Sodium Hydroxide

Clean Air Act (CAA) 112 accidental release prevention: No products were found. Clean Air Act (CAA) 112 regulated flammable substances: No products were found. Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

State regulations

Connecticut Carcinogen Reporting: None of the components are listed. Connecticut Hazardous Material Survey: None of the components are listed.

Florida substances: None of the components are listed.

Illinois Chemical Safety Act. None of the components are listed.

Illinois Toxic Substances Disclosure to Employee Act: None of the components are listed.

Louisiana Reporting: None of the components are listed. Louistana Spill: None of the components are listed. Massachusetts Spill: None of the components are listed.

Massachusetts Substances: None of the components are listed. Michigan Critical Material: None of the components are listed.

Minnesota Hazardous Substances: None of the components are listed. New Jersey Hazardous Substances: None of the components are listed.

New Jersey Spill: None of the components are listed.

New Jersey Toxic Catastrophe Prevention Act: None of the components are listed. New York Acutely Hazardous Substances: None of the components are listed. New York Toxic Chemical Release Reporting: None of the components are listed. Pennsylvania RTK Hazardous Substances: The following components are listed:

KAOLIN: 1,2-PROPANEDIOL

Rhode Island Hazardous Substances: None of the components are listed.

EU regulations Risk phrases (nternational lists

: This product is not classified according to EU legislation.

15 . Regulatory information

International lists

Australia inventory (AICS): All components are listed or exempted.

China Inventory (IECSC): Not determined. Korea inventory (KECI): Not determined. Philippines inventory (PICCS): Not determined. Japan inventory (ENCS): Not determined.

Canada inventory: All components are listed or exempted. Europe inventory: All components are listed or exempted.

New Zealand Inventory

Not listed.

(HASNO)


16 . Other information

Label requirements

: CAUSES EYE AND SKIN IRRITATION. MAY CAUSE ALLERGIC RESPIRATORY

REACTION.

Hazardous Material Information System (U.S.A.)



National Fire Protection Association (U.S.A.)



Date of printing

: 27- September- 2007

Version

: 0.01

Information contact

: ProductSafety@Sunchemical.com

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Colors Group San Chenoled Corporation 2942 Bach-Buxton Amelia (16142402 513 752 0550 513 753 842 Class

MATERIAL TECHNICAL DATA SHEET

CODE

RCD-9000

PIGMENT TYPE

CALCIUM RED 2B

PIGMENT RED 48:2

NAME

C SERIES

DISPERSION TYPE

SURFACTANT

TYPICAL CERTIFICATE OF ANALYSIS PROPERTIES

CIE LAB DL

 $-1.00 \rightarrow 1.00$

CIE LAB Da

±1.00 -- 1.00

CIE LAB Db

-1.00 - 1.00

CIE LAB DE

0.00 -- 1.50

TINT STRENGTH

97.00 -- 103.00

рĦ

7.0 -- 9.0

VISUAL INK PRINT

PASS/FAIL

OTHER PROPERTIES MAY BE ADDED PER CUSTOMER/VENDER REQUEST

NOMINAL PHYSICAL PROPERTIES

COLOR INDEX NUMBER

15865:2

PERCENT SOLIDS

47 % (+/-2%)

PERCENT PIGMENT

24 % (+/-2%)

SPECIFIC GRAVITY

1.08 -- 1.20

ALTHOUGH THE ABOVE DATA IS ACCURATE TO THE BEST OF SUN CHEMICAL CORPORATION'S KNOWLEDGE, IT IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED. SUN CHEMICAL CORPORATION DOES NOT ASSUME ANY LEGAL RESPONSIBILITY FOR THE USE OF THIS PRODUCT AND THIS PRODUCT IS PURCHASED AT BUYER'S RISK.

REVISION STATUS 1-051802

Melissa Armer

From: Wenker, Jim [Jim.Wenker@sunchemical.com]

Sent: Tuesday, December 11, 2007 9:57 AM

To: marmer@jbrenv.com

Cc: Gillespie, Sandy

Subject: RCD-9000

Dear Ms. Armer -

Please find below the ingredient compositional breakdown for our aqueous dispersion RCD-9000. It is a mixture of several ingredients, some of which are considered to be proprietary.

kind regards, Jim Wenker

RCD-9000

PIGMENT RED 48:2 7023-61-2 25% Clay 1332-58-7 14% Propylene glycol 57-55-6 9% Proprietary Surfactant CBI 9% Water balance

This message may contain confidential, proprietary or legally privileged information and is intended only for the use of the addressee named above. No confidentiality or privilege is waived or lost by any error in transmission. If you are not the intended recipient of this message you are hereby notified that you must not use, disseminate, copy it in any form or take any action in reliance on it.

Notice for all correspondence to or from a UK based Sun Chemical company: Sun Chemical Europe and Ault&Wiborg are trading divisions of Sun Chemical Limited, Registered in England No. 2647054
Registered Office: 3 High View Road, South Normanton, Derbyshire, DE55 2DT, UK VAT Registration Number: GB216018402

MATERIAL SAFETY DATA SHEET

I. GENERAL INFORMATION

Identity:

Boister from Suståne Plant Growth Supplement

Date Revised: 2/03

Contains 2% enriched seaweed (Ascophylum nodosum) extract, and 4% humic acid from leonardite.

Manufactured for.

Natural Fertilizer of America, Inc.

310 Holiday Avenue

P.O. Box 19

Cannon Falls, MN 55009

Phone #:

507/263-3003

Emergency Phone #:

800-352-9245

II. HAZARDOUS INGREDIENTS

N/A

III. PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: ND Vapor Pressure: N/A

Vapor Pressure: N/A
Vapor Density: N/A Water Vapor only

Solubility in Water. 100%

Specific Gravity: 1.27 Melting Point: N/A Evaporation Rate: N/A pH: Lightly alkaline

Appearance and Odor: Dark brown viscous liquid with slight odor

IV. FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A

Flammable Limits: N/A

Extinguishing Media: N/A

Special Fire Fighting Procedures: N/A

Unusual Fire and Explosion Hazards: None Known

V. REACTIVITY DATA

Stability: Stable in normal usage and storage

Incompatibility (Materials to Avoid): None Known, but should check before tank mixing.

Hazardous Decomposition or Byproducts: None Known

Hazardous Polymerization: Will Not Occur

VI. HEALTH HAZARD DATA

Route(s) of Entry:

Inhalation: See Below

Skin: See Below

Ingestion: See Below

Health Hazards (Acute and Chronic): None Known

Carcinogenicity: NTP IARC Monog

IARC Monographs OSHA Regulated None Known

Signs and Symptoms of Exposure: Mist inhalation may irritate nose, throat and lungs. May irritate skin and eyes. Low toxicity.

Medical Conditions Generally Aggravated by Exposure: None Known

Emergency and First Aid Procedures: If ingested dilute with 2-3 glasses of water or milk and induce vomiting. Eye contact – flush with water for at least 15 minutes. Inhalation – remove to fresh air. Seek medical attention for irritation or ingestion.

VII. PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled: Use absorbent material to clean up spill.

Waste Disposal Method: Dispose of in accordance with applicable local, state and federal regulations.

Precautions to Be Taken in Handling and Storing: Do not freeze or store in direct sunlight.

Other Precautions: Avoid contact with eyes, skin or clothing. Avoid breathing mist. Use good personal hygiene and housekeeping.

VIII. CONTROL MEASURES

Respiratory Protection: Use NIOSH approved respiratory protection if conditions warrant.

Ventilation: Natural ventilation is adequate Protective Gloves: Recommended Eye Protection: Recommended

Other Protective Clothing or Equipment: Long sleeves. Work/Hygienic Practices: N/A

OTHER PRECAUTIONS AND COMMENTS

The information in this Material Safety Data Sheet is believed to accurately reflect the scientific evidence used in making the hazard determination. It is considered only as a guide, and not a warranty or representation for which we assume legal responsibility. Independent decisions must be made on the suitability and use of this product dependent on variable storage conditions or locally applicable laws or government regulations. The buyer and user assumes all risk and liability of storage conditions or locally applicable laws or government relations. The buyer and user assumes all risk and liability of storage, handling, and use of this product not in accordance with the terms of the product label.

Material Safety Data Sheet

As of January 1, 2006

Trade Name HORTA-SORB® LG, MD, SM

1. IDENTIFICATION OF THE PRODUCT AND THE COMPANY

Horticultural Alliance, Inc. 1550 66th Ave. Dr. E. Sarasota, FL 34243 Tel: 800-628-6373, 941-739-9121 Fax: 888-386-4478, 941-752-1890

Web page: www.hortsorb.com

2. Composition / Info. on Ingredients

Cross linked Acrylamide/Potassium Acrylate copolymer CAS NUMBER 25085-02-3

3. HAZARDS IDENTIFICATION

The product, when wet, renders surfaces extremely slippery. The product swells in water.

4. FIRST AID MEASURES

Inhalation: No hazards which require special first aid procedures except for particle size below 50 micron in which case protective masks should be employed

Skin Contact: No hazards which require special first aid procedures.

Eye Contact: Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation occurs, consult a physician.

Ingestion: The product is not considered toxic based on studies on laboratory animals.

5. FIRE FIGHTING PROCEDURES

Suitable extinguishing media: Water, water spray, foam, carbon dioxide, dry power.

Fire extinguishing agents to avoid: None

Special fire fighting precautions: The product, when wet, renders surfaces extremely slippery. The product swells in water.

Special protective equipment for firefighters: None

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: No special precautions required.

Environmental precautions: Do not contaminate water.

Methods for cleaning up: <u>Do not flush with water.</u> Clean up promptly by scoop or vacuum. Keep in suitable and closed containers for disposal. <u>After cleaning</u>, flush away traces with water.

7. HANDLING AND STORAGE

Handling: Avoid direct contact with skin and eyes. Avoid dust formation. Do not breath dust. Wash hands before breaks and at the end of the workday.

Storage: Keep in a dry, cool place (0-35°C).

8. EXPOSURE CONTROLS

Engineering measures to reduce exposure: Use local exhaust if dusting occurs. Natural ventilation is adequate in absence of dusts.

Personal protection equipment

- Respiratory protection: Dust safety masks are recommended where concentration of total dust is more than 10 mg/m³.
- Eye protection: Keep away from eyes. Wear safety glasses with side shields if dusts are present.
- Skin and body protection: No special protective clothing required.
- Hygiene measures: Wash hands before breaks and at the end of the workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: Granular solid

Color: White Odor: None

pH:Not applicable

Melting point (°C)Not applicable Flash point (°C)Not applicable

Auto ignition temp. (°C)Not applicable Vapor pressure (mm Hg)Not applicable

Bulk Density 0.7 to .085 Water solubility Insoluble

10. STABILITY AND REACTIVITY

Stability: Product is stable, no hazardous polymerization will occur.

Conditions to avoid: No special precautions required. Materials to avoid: The product swells in water.

Hazardous decomposition products: Thermal decomposition may produce: hydrogen cyanide (hydrocyanic acid), nitrogen oxides (NOx), carbon oxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

- Oral: Not toxic: LD50/oral/rat > 5,000 mg/kg

- Dermal: Not toxic: LD50/dermal/rabbit > 2,000 mg/kg

Irritation

- Skin: Not irritating

- Eyes: Moderate eye irritation due to effects all powders have on conjunctivae.

Sensitization: Not sensitizing

12. ECOLOGICAL INFORMATION

Ecotoxicity: Ecological injuries are not known or expected under normal use. Aquatic

toxicity is unlikely due to low solubility.

Persistence / degradability: Not readily biodegradable, < 10% after 28 days.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: In accordance with federal, state and local disposal or discharge regulations.

Contaminated packaging: Can be landfilled or incinerated, when in compliance with federal, state and local disposal or discharge regulations.

14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning transport regulations.

15. REGULATORY INFORMATION

The product is not a hazardous article and need not be labeled according to EC=Directives as mentioned. All components of this product are on the TSCA and DSL iventories.

RCRA status: Not a hazardous waste Hazardous waste number: Not applicable Reportable quantity (40 CFR 302)Not applicable Threshold planning quantity (40 CFR 335): Not applicable

16. OTHER INFORMATION

Person to Contact:

James Quinn, President
Horticultural Alliance, Inc.
1550 66th Avenue Drive E., Sarasota, FL 34277
Tel: 800-628-6373, 941-739-9121
Fax: 888-386-4478, 941-752-1890
E-Mail: jamesq@hortsorb.com
Webpage: www.hortsorb.com



Borregaard Deutschland GmbH

LignoTech Werk Karlsruhe DEA- Scholven- Strasse 9 D-76187 Karlsruhe, Germany Tel.: +49 721 55991-0 Fax.: +49 721 55991-10 Publ. No. LTD 8532853 Edition September 15, 2004 Borrechel Fe 853

Borrechel Fe 853

Product description

Borrechel Fe 853 is a spray dried iron micronutrient based on lignosulphonic acid from wood sulphite liquor as natural polymeric complexing agent.

Typical Application: Micronutrient for agriculture.

CAS- No. 8062-15-5 (Lignosulphonic acid), 7720-78-7 (Ferro sulphate)

Product is classified harmfull. Please note safety data sheet.

Specification

•		Test Method
Dry matter [%]	min 93,0	A01
pH (10 % solution) Insolubles [%]	3,0 +/- 0,5 max 1,0	A04 A46
Iron, Fe [%]	min 11,0	

Typical Analysis*

Chemical Data

Physical Data

Organic matter [%] Sulphate, SO4 [%]	60 24	Bulk density [kg/m3]	400

^{*}The above analyses are not formal specifications and values may change. Chemical Data calculated on solids.

Storage Stability:

Borrechel Fe 853 is stable for several months if stored under dry conditions.

Compatibility:

Lignosulphonates are compatible with anionic and non- ionic materials, dispersants, wetting agents and most organic and inorganic materials.

Packaging:

20 kg bags

Lead Time:

6 weeks lead time is typical.

Safety Data Sheets are available upon request.

Please contact your LignoTech Sales Representative for additional product information.

The information given here is based on our best knowledge and we believe it to be true and accurate. However, Borregaard LignoTech does not warrant or guarantee in any manner whatsoever, including the warranty of merchant-ability or fitness for the end user the accuracy of the information and procedures listed herein and will not be responsible for any damage resulting from their use.

MATERIAL SAFETY DATA SHEET

BORRECHEL FE 853 POWDER PRODUCT NAME:

Page 1 of 2

LIGNOTECH USA, INC.

EMERGENCY PHONE (715)359-6544

MSDS NO. : 101210

Research & Development

*CHEMTREC PHONE (800)424-9300

ORDER NO.

100 Grand Avenue Bothschild, WI

>>NOT OSHA OR WHMIS HAZARDOUS<<

PREPARED ON: 10/12/2000 REPLACES

54474-1198

: All Previous

TEL: (715)359-6544

PREPARED BY: S. Lebo

FAX: (715)355-3648

"Use only in the event of chemical emergencies involving a spill, leak, fire, exposure, or accident involving chemicals.

I. PRODUCT IDENTIFICATION

Common Name

: Iron Lignosulfonate

Chemical Formula

: Amorphous Polymer

Synonyma

; Şea Abova

Chemical Family

: Wood Chemicals

Manutactures

: LignoTech USA, Inc.

ÇAŞ Numbers

; 62997-05-1

Shipping Name - DOT

: Lignin Pitch - Class 55

Hazard Class - DOT

: Not Restricted

UN Number

: Excluded

Hazard Ciasc - IATA

: Not Restricted

Physical State

: Pawder

HMIS Rashri(0-4)

: HEALTH = 1 FIRE = 1

REACTIVITY = 0 SPECIAL = 0

WARNING

NUISANCE DUST - As with all dusts, avoid high concentrations.

HAZARDOUS INGREDIENTS

Principal Hazardous Components

Percent

Threshold Limit Value (Units)

None known

III. PHYSICAL DATA

11 1 1 7 1 1 1

: Not Applicable

Specific Gravity (25 C): Not Applicable

Boiling Point (C)

: Not Applicable

pH (3% Soln.)

: 4.5

Freezing Point (C)

: Not Applicable

Bulk Density (g/ml)

: 0.37 - 0.56

Vapor Pressure (mini Hg) Vagor Dansity (Air = 1)

: Not Applicable

Solubility in Water

: 100% Soluble

% Volatiles By Weight

: 4.5 (water)

Evaporation Rate

: Not Applicable

Appearance & Odor

: Brown powder with slight odor.

Water/Oil Dist. Coaff.

1 100% in water

. IV. HEALTH HAZARO DATA

Threshold Limit Values

: OSHA PELV = 15 mg/M3 for dust

: Minimiza contact with eyes, skin, clothing. Tests to determine source and taxisity to

: rate produced no deaths from which an LDSO could be determined.

Carcinogan Listings - NTP / IARC

: Not a carcinogen

Primary Route(s) of Entry

: Skin contact, eye contact, Inhalation

Symptoms of Overexposure

: No effects of overexposure to lignosulforates are known.

Conditions Aggravated by Exposure irritancy of Material

; None known. : None known.

Sensitization to Material Teratogonicity

: None known. : None known.

Mutaginaicity Approductive Taxicity Synergistic Substances : None known. : None known.

First Aid --

None known. : irrigate with potable water.

Eyes ; Skin should be flushed with clean water.

Skin Inhalation: Remove from dusty area.

ingestion: Give water to dilute and get medical attention.

Notes to Physician

. Very low toxicity.

19/12/00

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: BORNECHEL FE 853 POWDER

Page 2 of 2

V. FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used)

: Not Applicable

Auto ignition Temp: 400 C for dust

Flammable Limits in Air, % By Volume: Lower: 0.2 oz./cu.ft.

Upper: 3.5 oz./cu,ft.

Extinguishing Mödia

: Uso water spray, carbon dioxide, dry chemical, alcohol-type or universal-type

: föams applied by manufacturers recommended techniques.

Special Fire Fighting Procedures

: Use supplied breathing air and protective clothing.

Unusual Fire and Explosion Hazords

; Flammable solids may provide conditions for a dust explosion.

VI. SPILL OR LEAK PROCEDURES

Spill Phaponse

: Machanically collect and remove spilled material. Area may be washed with water.

Neutralizing Chemicals

· None required.

Waste Disposal Methods

: inclinarate, bury or flush to sewer following applicable regulations.

VIII. REACTIVITY DATA

Stability

: Stable

Conditions to Avoid: Contact with strong exidizing agents.

Incompatibility

Meterials to Avoid : None

Hazardous Polymerization

: Will not occur

Conditions to Avoid: None : Sulfur dioxide, carbon dioxide, and carbon monoxide.

Hazardous Decomposition Products

VIII. CONTROL MEASURES

Ventilation Angulrements

: Adequate ventilation for comfort is recommended.

Respiratory Protection

: Full respiratory protection program recommended,

: NIOSH approved dust mask recommended.

Protective Gloves Eve Protection

: Gloves recommended for prolonged exposure. : Goggles recommended for prolonged exposure.

Other Protective Equipment : Clothing which contacts skin should be changed daily.

IX. SPECIAL PRECAUTIONS

Repair/Maintendites of

Contaminated Equipment

: None required.

Hygiene in Handling and Storage

: Personal hygiene is strongly encouraged so all clothing items are changed daily,

Other

: Normal precautions common to good manufacturing practice should be followed.

.... X. ADDITIONAL REGULATORY CONCERNS

Lignosulfonates ate non-toxic & non-initiating. Government regulations for use of lignosulfonates are summarized below:

Agriculture Canada Animal Feeds. File No. 832.282.

21 CFR 176,210 - Defeamers

40 CFR 180_1001 Sections (c) & (d)

21 CFA 177.1210 - Gaskets 21 CFR 175.105 - Adhesives

21 CFR 173.310 - Boiler Water

21 CPR 573.600 - Animal Feeds

21 CFR 172.715; 182.99 - Pesticides for Food

21 CFR 176.120; 176.170; 176.180; 178,3120 - Paper

The information and recommendations contained herein are offered as a service to our customers but are not incereded to relieve the user from its responsibility to investigate and understand pertinant sources of information and to comply with all laws and procedures applicable to the safe handling and use of these materials. The information and recommendations provided heroin were bolieved by LignoTech USA, Inc. to be accurate at the time of preparation or obtained from securces believed to be declarally mliable. However, LignoTech USA, Inc. makes do warranty concerning their accuracy a not LigneTech USA, Inc. will not be liable for claims relating to any party's use of or reliance on information or recommendations contained Hernin, regardless of whether it is claimed that the information or recommendations are inaccurate, incomplete or otherwise misleading.

OPTIMIZE GOLD LCO PROMOTER TECHNOLOGY

MATERIAL SAFETY DATA SHEET

SECTION 1 PRODUCT & COMPANY IDENTIFICATION

Optimize® Gold Material Names:

Liquid inoculant product containing live culture of Designations:

nitrogen-fixing Sinorhizobium bacteria and

Lipo-chitooligosaccharide.

Mixture Chemical Formula:

EMD Crop BioScience Manufacturer:

3101 W. Custer Ave., Milwaukee, WI 53209

414-462-7600 Emergency Telephone:

Monday-Friday, 8:00 am - 4:30 pm CST

Call CHEMTREC at 1-800-424-9300 After Hours:

SECTION 2 INGREDIENT INFORMATION

ACGIH CAS **OSHA** ACGIH Hazardous STEL: Ingredient: Number: PEL: TLV:

Contains no hazardous ingredients

Contains naturally-occuring, non-pathogenic rhizobia bacteria. These are symbiotic nitrogen-fixing bacteria, to be applied as a seed treatment to specific legume crops (not a plant food product). See product label for specific crop information, application rates and methods. Not for food, feed or drug use.

SECTION 3 HAZARDS IDENTIFICATION

Emergency Overview: There are no known health effects caused by the rhizobia bacteria contained in this product.

Primary Entry Routes: Oral (swallowing)

Acute Effects (Signs and Symptoms of Overexposure):

Eyes: Liquid may cause minor eye irritation.

Skin: No known hazard. Inhalation: No known hazard. Ingestion: No known hazard.

Chronic Effects: No known hazard. Medical Conditions Aggravated by Exposure: No known hazard.

Target Organs: None

Carcinogenicity: Contains no known or suspected carcinogens.

HMIS: Health - 0, Flammability - 0, Reactivity - 0

SECTION 4 FIRST AID MEASURES

Eyes: Flush eyes with water for at least 15 minutes. Get medical

attention if irritation persists. Skin: Wash with soap and water.

Inhalation: Remove person to fresh air. Get medical attention if

irritation persists.

Ingestion: No treatment necessary.

SECTION 5 FIRE FIGHTING MEASURES

None Flash Point:

Autoignition Temp.: Not determined **Explosive Limits:** LEL: Not applicable

UEL: Not applicable

Extinguishing Media: Use media suitable for the surrounding fire

Unusual Fire or Explosion Hazards: None known Fire Fighting Instructions: No special requirements.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Large Spill/Leak Procedures: Contain spill and recover for use or disposal

Small Spills: Spilled liquid may cause slippery residue on hard floors. Flush spill area with water to wash away any slippery residue.

SECTION 7 STORAGE AND HANDLING

Storage Requirements: Store in original container in a cool, dry place. Avoid repeated freeze/thaw cycles. Shake well before use. Open package only when ready to use. Use before expiration date printed on package.

Handling Precautions: No special handling requirements. Follow normal hygiene and housekeeping standards for agricultural products.

SECTION 8 EXPOSURE CONTROLS/ PERSONAL PROTECTION

Ventilation: Special ventilation is not required for the normal handling and use of this product when following the label instructions.

Protective Clothing/Equipment: No special requirements.

Respirator: None required when used according to label instructions.

Contaminated Equipment: Clean application equipment with

detergent and water after use.

Comments: Practice general personal hygiene after using this product. After handling any chemical or biological product, wash arms, hands and face with soap and water before eating, drinking or smoking

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquids Yellow to brown Color:

Odor: Mild Melting Point: Not determined Boiling Point: 216°F (102°C) Freezing Point:25°F (-4°C)

Water Solubility: Soluble % Volatile (Volume): Not determined Specific Gravity: 1.0 g/cc Not determined Vapor Pressure: Vapor Density: Not determined

SECTION 10 STABILITY AND REACTIVITY

Stability: Stable

Conditions to Avoid: None

Hazardous Polymerization: Will not occur

Chemical Incompatibilities: Some seed-applied chemicals, including fungicides, may be harmful to the bacteria in this product. See product label for futher information on the use of fungicides or other chemicals in conjuction with seed treatment.

Hazardous Products of Decomposition: Oxides of carbon

SECTION 11 TOXICOLOGICAL INFORMATION

Eye Effects/Eye Irritation: Acute Oral Effects:

Acute Inhalation Effects: Acute Dermal Effects: Skin Irritation:

Skin Sensitization:

NEPA

Non-irritating LD₅₀ (orl-rat): >5000 mg/kg No data available LD₅₀ (dml-rbt): >2000 mg/kg

Non-irritating Not a skin sensitizer

SECTION 12 ECOLOGICAL INFORMATION

This product contains non-pathogenic bacteria strains that occur naturally in soil, and is biodegradable.

SECTION 13 DISPOSAL CONSIDERATIONS

Disposal: Small amounts of product which cannot be used according to label instructions may be disposed of in a landfill or sanitary sewer. RCRA Waste Status: This product is not regulated as a hazardous waste. State and local regulation may affect the disposal of this product. Consult your state, local or provincial environmental agency

for disposal of waste other than by use according to label instructions.

SECTION 14 TRANSPORT INFORMATION

Transportation Data: This product is not regulated as a hazardous material for all modes of transportation within the U.S. and Canada. Hazard Class: Not applicable ID No.: Not applicable

SECTION 15 REGULATORY INFORMATION TSCA: All components of this product are listed on the TSCA inventory. SARA Section 313: Contains no reportable components.

OSHA Hazard Classification: Non-hazardous

Proposition 65: Contains no components subject to warning requirements. WHMIS / Controlled Products Regulations: This product has been classified in accordance with the hazard criteria of the CPR and this MSDS contains all of the information required by the CPR.

SECTION 16 OTHER INFORMATION

Prepared by: D. Joers Date: 14 August 2007

Information presented on this Material Safety Data Sheet is believed to be accurate at the time of publication. No warranty, expressed or implied, is made with regard to this information. This information may not be adequate for every application, and the user must determine the suitability of this information due to the manner/conditions of use, storage or local regulations.

Morarial Safety Deres Sheet



01.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME	ZEBA FARM, NURSERY & GREENHOUSE, TURF & SPECIALTY, ROOT DIP, SEED COATING
Product Identification Number(s)	107830-79-5
Manufacturer/Supplier	Absorbent Technologies, Inc. Beaverton, Oregon 97008
MSDS Prepared by	Absorbent Technologies, Inc.
Chemical Name	Starch-g-poly (2-propenamide-co-2-propenoic acid) potassium salt
Synonym(s)	957944
Molecular Formula	Starch (C&H10Os) containing grafted side chains consisting of 2-propenamide (C&HsNO)n-co-2-propenoic acid potassium salt (C&H3O2K)n copolymers
Product Use	Polymer
OSHA Status	Nonhazardous

For emergency health, safety and environmental information, call Absorbent Technologies, Inc. 877.627.9931. For emergency transportation information, call CHEMTREC at 800.424.9300 or call ATI at 877.627.9931.

02.COMPOSITION INFORMATION ON INGREDIENTS

(Typical composition is given, and it may vary. A certificate of analysis can be provided).

WEIGHT %	COMPONENT	CAS REGISTRY NO.
88%	Starch-g-poly (2 propenamide-co-2 -propenoic acid) potassium salt	107830-79-5
12%	Inerts	7732–18–5
12 /0		

ZEBA MATERIAL SAFETY DATA SHEET



03.HAZARDS IDENTIFICATION

CAUTION!

POWDERED MATERIAL MAY FORM EXPLOSIVE DUST - AIR MIXTURES

HMIS® Hazard Ratings:

Health-1, Flammability-1, $Chemical\ Reactivity-0$

HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of his material, all the information contained in this MSDS must be considered.

04.FIRST-AID MEASURES

Inhalation

If symptomatic, move to fresh air. Get medical attention if symptoms persist.

Eyes

Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. Get medical attention if symptoms persist.

Skin

Wash with soap and water. Get medical attention if symptoms occur.

Ingestion

Seek medical advice.

05. FIRE FIGHTING MEASURES

Minimum Ignition Temperature

375°C (707°F)

Minimum Explosive Concentration

0.495 oz/ft

Extinguishing Media

Water spray, dry chemical.

Polymer absorbs water and becomes slippery when wet.

Special Fire-Fighting Procedures

Wear self-contained breathing apparatus and protective clothing.

Hazardous Combustion Products

Carbon dioxide, carbon monoxide.

Unusual Fire and Explosion Hazards

Powdered material may form explosive dust-air mixtures.

Sensitivity to Static Discharge

Material may accumulate a static charge which could act as an ignition source.

06.ACCIDENTAL RELEASE MEASURES

Sweep or scoop up and remove.

07. HANDLING AND STORAGE

Personal Precautionary Measures

Avoid contact with molten material.

Prevention of Fire and Explosion

Keep from contact with oxidizing materials. Minimize dust generation and accumulation. In the United States of America, refer to NFPA® Pamphlet No. 654, "Prevention of Fire and Dust Explosions in the Chemical, Dye, Pharmaceutical, and Plastics Industries."

Storage

Keep container closed.

08.EXPOSURE CONTROLS/PERSONAL PROTECTION

Country specific exposure limits have not been established or are not applicable unless listed below.

Ventilation

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may needed in special circumstances such as poorly ventilated spaces, mechanical generation of dusts, heating, drying, etc.

Respiratory Protection

If engineering controls do not maintain airborne concentrations to an acceptable level, an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1988. Respirator type: dust.

Eye Protection

It is a good industrial hygiene practice to minimize eye contact.

(continued)

ZEBA MATERIAL SAFETY DATA SHEET



Skin Protection

It is a good industrial hygiene practice to minimize skin contact.

Recommended Decontamination Facilities

Eye bath, washing facilities.

09. PHYSICAL AND CHEMICAL PROPERTIES

Physical Form	Solid
Color	Tan
Odor	Slight to strong smell resembling Ammonia. As a hydrogel, virtually odorless.
Specific Gravity	<1
Solubility in Water	Negligible
рН	6–8
Flash Point	Not applicable, combustible solic

Thermal Decomposition Temperatures

Thermal stability not tested. Low stability hazard expected at normal operating temperatures.

10.STABILITY AND REACTIVITY

Stability	Stable
Incompatibility	Material reacts with strong oxidizing agents
Hazardous	
Polymerization	Will not occur
Hazardous	
Decomposition	
Products	Not Applicable
Conditions to Avoid	None

11.TOXICOLOGICAL INFORMATION

Toxicity data are not available unless listed below.

12.ECOLOGICAL INFORMATION

This material has not been tested for environmental effects.

13. DISPOSAL CONSIDERATIONS

Discharge, treatment, or disposal may be subject to national, state, or local laws, Incinerate.

14.TRANSPORTATION INFORMATION

Marine Pollutant components

None unless listed below.

DOT (USA)	Class not regulated
ICAO Status	Class not regulated
IMDG Status	Class not regulated

15.REGULATORY INFORMATION

WHMIS (Canada) Status Noncontrolled.

SARA313

None, unless listed below.

Carcinogenicity Classification

(components present at .01% or more) None NIP - No, IARC - No, OSHA - No.

TSCA (US Toxic Substances Control Act) One or more components of this product are not listed on the TSCA inventory.

16.OTHER INFORMATION

Visit our website at www.zeba.com or call 1.877.627.9931

The information contained herein is based on current knowledge and experience; no responsibility is accepted that the information $% \left(1\right) =\left(1\right) \left(1\right)$ is sufficient or correct in all cases. Users should consider these data only as a supplement to other information. Users should make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials, the safety and health of employees and customers and the protection of the environment.

Material Safety Data Sheet

Product Name: COLOR COAT YELLOW LIQUID

Product Code: BUI/CCOATYELLOW

HMIS Codes: HFRP

110 X

Section I - Manufacturer Identification

Manufacturer's Name: Becker Underwood, Inc. Address: P.O. Box 667, 801 Dayton Ave., Ames, IA 50010

Emergency Phone: Chemtrec (800) 424-9300 Information Phone: (515) 232-5907
Prepared By: MSDS Coordinator Date Revised: September 15, 2003

Section II - Components and Hazards

Components Occupational Exposure Limits

Component CAS Number OSHA PEL ACGIH TLV Weight Percent

No reportable quantities of hazardous ingredients are present

No reportable quantities of toxic chemical(s) subject to the reporting requirements of Section 313 of SARA Title III and of 40 CFR 372 are present

Section III - Physical/Chemical Characteristics

Boiling Point: NE Specific Gravity: $(H_20 = 1)$: 1.1-1.2

Vapor Density: Heavier than air Evaporation Rate: Slower than ether

Solubility In Water: Soluble Appearance and Odor: Yellow liquid, slight odor.

Section IV - Fire and Explosion Hazard Data:

Flash Point: NA Method Used: NA

Flammable Limits in Air by Volume: NA Lower: NA Upper: NA

Extinguishing Media: Foam, alcohol foam, CO2, dry chemical, water fog

Fire Fighting Precautions & Hazards: Fire fighters should wear butyl rubber boots, gloves, and body suit and a

NIOSH/MSHA self-contained breathing apparatus.

Unusual Fire and Explosion Hazards: Not a fire or explosion hazard when stored under normal conditions.

Section V - Reactivity Data

Stability: Stable

Conditions to Avoid: Extremes in temperature. High humidity.

Incompatibility (Materials to Avoid): Long term storage in direct contact with reactive metals such as aluminum, zinc, copper, nickel, magnesium, etc. Other materials to avoid include strong oxidizing agents.

Hazardous Decomposition Products: When involved in a fire, burning may evolve noxious fumes which may include carbon monoxide, carbon dioxide, nitrous oxides, acetic acid, or other toxic compounds depending on the chemical composition and combustion conditions. However, all of the water must be driven off first for this to occur.

Hazardous Polymerization: Will not occur.

Section VI - Health Hazard Data

Inhalation Health Risks and Symptoms of Exposure: Prolonged inhalation may lead to respiratory tract

irritation.

Skin and Eye Contact Health Risks and Symptoms of Exposure: Prolonged or repeated contact may result in

irritation.

Skin Absorption Health risks and Symptoms of Exposure: None expected.

Ingestion Health Risks and Symptoms of Exposure: Ingestion of large quantities may be harmful.

Health Hazards (acute and chronic): None known.

Carcinogenicity NTP? No IARC Monographs? No

Existing Medical Conditions Generally Aggravated By Exposure: May provoke asthmatic response in persons with asthma who are sensitive to airway irritants.

Section VI - Health Hazard Data (Continued)

Emergency and First Aid Procedures:

Eves: Flush with flowing water for at least 15 minutes. Call a physician.

Skin: Wash affected area with soap and water. If irritation develops consult a physician. Remove and launder

contaminated clothing before reuse.

Inhalation: If difficulty in breathing occurs, move to fresh air. Get immediate medical attention. **Ingestion:** Get immediate medical attention. Unless advised otherwise, dilute with water or milk.

Section VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled: Contain the spill to prevent a large discharge to surface streams or storm sewers. Since landfill operations will not accept liquid waste, allow to dry if possible before collecting for disposal. An absorbent material would aid in cleaning up a liquid spill. If liquid cleanup is necessary, collect in drums, buckets, or other containers.

Waste Disposal Method: The environmental concern is discoloration of land or water. If possible, the product should be dried before disposal. Disposal must be made in accordance with federal, state, and local regulation.

Precautions to be Taken in Handling and Storing: Local exhaust. Do not freeze. Avoid unnecessary skin contact. Do not breathe fumes.

Other Precautions: Eye wash fountains should be easily accessible. As with all chemicals, keep out of the reach of children.

Section VIII - Control Measures

Respiratory: If excessive vapors or mists are generated, wear NIOSH/MSHA approved organic vapor/mist respirator.

Ventilation: Use local exhaust to control excessive vapors/mists. If applicable, proper personal protection is a

NIOSH/MSHA approved respirator.

Clothing: Gloves, coveralls, apron, boots as necessary to prevent skin contact as needed.

Eye: Chemical goggles; wear face shield if splashing hazard exists.

Other: Open wounds or skin surface disruptions should be covered with a chemical resistant patch to minimize absorption risks. Clean clothing should be worn daily to avoid possible long-term build up of the product leading to chronic overexposure. Safety shower, eye wash fountain, and washing facilities should be readily available.

Section IX - Shipping and Labeling Information

D.O.T. Shipping Data: Not regulated.

D.O.T. Hazard Classification NA

D.O.T. Labels Required: NA

D.O.T. Identification NA

Section X - Disclaimer

The opinions expressed herein are those of qualified persons with Becker Underwood, Inc. We believe the information contained here is current as of the date of this Material Safety Data Sheet. Since the use of this product is not within the control of Becker Underwood, Inc., it is the user's obligation to determine a safe end use of this product.





Section 1. Product and Company Identification

Product Name:

Color Coat Blue Liquid

Hazardous Material Information System: Health

Product Code:

BUI/CCOATBLUE June 8, 2007

Effective Date:

Fire Hazard 0 Personal Protection

Manufacturer Information:

Becker Underwood, Inc. 801 Dayton Avenue Ames, Iowa 50010

Information Phone: (515) 232-5907

Emergency Phone: Chemtrec (800) 424-9300

Section 2. Hazard Identification

Hazardous Components		Occupational Ex	Occupational Exposure Limits		
Component	CAS Number	OSHA PEL	ACGIH TLV	Weight Percent	
the state of hexardous ingredients are present***					
***No reportable quantities of hazardous ingredients are present. ***No reportable quantities of toxic chemical(s) subject to the reporting requirements of Section 313 of SARA Title III					
and of 40 CFR 372 are present***					

Emergency Overview: May cause respiratory tract, eye, and skin irritation.

Potential Acute Health Effects:

Short term harmful effects are not expected. However, irritation may develop causing itching and Eyes:

Short term harmful effects are not expected. However, mild skin irritation may develop causing Skin:

itching and redness.

Short term harmful effects are not expected. However, exposure to vapors or mist may cause Inhalation:

coughing or wheezing when inhaled.

Not an intended route of exposure. Short term harmful effects are not expected. However, may upset Ingestion:

the gastrointestinal tract and cause diarrhea.

Section 3. Composition/Information on Ingredients

The composition of this material is a trade secret. Contains no other components or impurities which will influence the classification with regard to human and environmental risk assessment.

Section 4. First Aid Measures

Eve Contact:

Immediately flush eyes with water for at least 15 minutes. Prolonged or repeated contact may result in mechanical irritation.

Skin Contact:

Wash with soap and water.

Inhalation:

Move to fresh air. Seek medical attention if irritation persists.

Ingestion:

Seek medical attention.

Section 5. Fire Fighting Measures

Flammability of

Not a fire or explosion hazard when stored under normal conditions.

Product:

Fire Fighting Media: Foam, alcohol foam, CO2, dry chemical, water fog

Protective Clothing: This product is an aqueous mixture which will not burn. If evaporated to dryness, the solid residue

may pose a moderate fire hazard. No special procedures required besides standard fire fighting

procedures.

Section 6. Accidental Release Measures

Clean-Up Procedures: Collect spilled material with an inert absorbent such as sand or vermiculite. Place in properly labeled and closed container. Dispose of collected material according to federal, state, and local regulations.

Spills and Leaks:

Contain the spill or leak to prevent a discharges to surface streams or storm sewers. This material is a concentrated dye/pigment. Small quantities in contaminated water solutions will color large

volumes.

Section 7. Handling and Storage

Handling: Avoid breathing fumes. General mechanical ventilation can be expected to effectively remove and

prevent build up of any vapor or mist generated from handling this product in a closed environment.

Do not freeze. Protect eyes to prevent contact. Avoid prolong or repeated exposure to skin.

Storage: Keep container in a dry place inaccessible to children and pets at temperatures above freezing.

Keep containers sealed until ready for use.

Section 8. Exposure Control/Personal Protection

Engineering controls: General mechanical ventilation can be expected to effectively remove and prevent build up of any

vapor or mist generated from handling this product in a closed environment

Personal Protection:

Eyes: Wear safety glasses with side shields. Wear additional eye protection such as chemical goggles or

face shield if splashing or spraying hazard exists. Have an eye wash station available.

Body: To prevent skin contact use coveralls, apron, boots, or lab coat.

Hands: Avoid skin contact by using chemically resistant gloves.

Respiratory: No respiratory protection required under normal conditions of use. Use local exhaust to control

excessive vapors/mists. If excessive vapors or mists are persist use appropriate NIOSH/MSHA

approved organic vapor/mist respirator.

Other: Open wounds or skin surface disruptions should be covered with a chemical resistant patch to

minimize absorption risks. Clean clothing should be worn daily to avoid possible long-term build up

of the product leading to chronic overexposure.

Section 9. Physical and Chemical Properties

Odor	Slight odor	Vapor Density	Heavier than air
Color	Dark Blue	Evaporation Rate	Slower than ether
Physical state	Liquid	Specific Gravity $(H_20 = 1)$	1.1-1.2 g/mL
рН	7.5-9.5	Solubility	Water soluble
Melting/Freezing Point	NA		

Section 10. Stability and Reactivity

This material is chemically stable under normal and storage and handling conditions. **Chemical Stability:**

Hazardous **Decomposition:**

When involved in a fire, burning may evolve noxious fumes which may include carbon monoxide, carbon dioxide, nitrous oxides, acetic acid, or other toxic compounds depending on the chemical composition and combustion conditions. However, all of the water must be driven off first for this to

occur.

Hazardous

Is not known to occur.

Polymerization:

Incompatibility (Materials to Avoid): Long term storage in direct contact with reactive metals such as aluminum, zinc, copper, nickel,

magnesium, etc. Other materials to avoid include strong oxidizing agents.

Section 11. Toxicological Information

Chronic Toxicity:

None known None known Carcinogenic Effects: None known **Mutagenic Effects:** None known **Teratogenic Effects:**

Developmental

None known

Toxicity:

Acute Effects on

Humans:

May cause skin, eye, and respiratory irritation.

Sensitization:

Repeated or prolonged exposure to the substance at concentration above the exposure limits may

cause respiratory tract and lung sensitization.

Carcinogenic Effects:

This material is not known to cause cancer in animals or humans.

Existing Medical Conditions Aggravated

By Exposure:

May provoke asthmatic response in persons with asthma who are sensitive to airway irritants

Section 12. Ecological Information

Ecotoxicity:

No data available, however the material is not expected to have any deleterious toxic effect.

Environmental Fate:

No data available regarding the environmental fate or biodegradation.

Section 13. Disposal Considerations

EPA Waste Number: Non-hazardous waste

Treatment: Dispose of according to all federal, state, local, and provincial environmental regulations.

Section 14. Transport Information

D.O.T. Classification:

Not regulated

IMO/IMDG

Not regulated

Classification:

IATA Classification: Not regulated

Section 15. Regulatory Information

Hazardous Material Information System:

Health	1
Fire Hazard	1
	0
Personal Protection	X

US Federal Regulations:

Product Information: This product is not considered hazardous.

SARA 311/312:

Acute: No
Chronic: No
Fire: No
Pressure: No
Reactive: No

SARA 313:

No reportable quantities of toxic chemical(s) subject to the reporting requirements of Section 313 of

SARA Title III and of 40 CFR 372 are present

Regulatory Listings

(TSCA): Listed **United States** (CEPA): Unknown Canada (EINECS): Unknown Europe Unknown (AICS): Australia Unknown (MITI): Japan Unknown (ECL): Korea (NEPA): Unknown China

Section 16. Other Information

The information is furnished without warranty, representation, inducement or license of any kind, except that it is accurate to the best Becker Underwood's knowledge. Because use conditions and applicable laws may differ from one location to another and may change with time, Recipient is responsible for determining whether the information is appropriate for recipient's use. Since Becker Underwood has no control over how this information may be ultimately used, all liability is expressly disclaimed and Becker Underwood assumes no liability.



Material Safety Data Sheet

Section 1. Product and Company Identification

Product Name:

Color Coat Green Liquid

Product Code:

BUI/CCOATGREEN

Effective Date:

May 18, 2007

Manufacturer Information:

Becker Underwood, Inc. 801 Dayton Avenue Ames, Iowa 50010

Information Phone: (515) 232-5907

Emergency Phone: Chemtrec (800) 424-9300

Hazardous Material Information System III:

Health	1
Fire Hazard	1
Physical Hazard	0
Personal Protection	X

Section 2. Ingredients and Hazards Identification

Hazardous Components		Occupational Exposure Limits		
Component	CAS Number	OSHA PEL	ACGIH TLV	Weight Percent
***No reportable quantities of hazardous ingredients are present ***				
***No reportable quantities of toxic chemical(s) subject to the reporting requirements of Section 313 of SARA Title III				
and of 40 CFR 372 are present***				

Emergency Overview: May cause respiratory tract, eye, and skin irritation.

Potential Acute Health Effects:

Short term harmful effects are not expected. However, irritation may develop causing itching and Eyes:

redness.

Short term harmful effects are not expected. However, mild skin irritation may develop causing Skin:

itching and redness. Temporary discoloration of skin may occur.

Short term harmful effects are not expected. However, exposure to vapors or mist may cause Inhalation:

coughing or wheezing when inhaled.

Not an intended route of exposure. Short term harmful effects are not expected. However, may upset Ingestion:

the gastrointestinal tract.

Section 3. Composition/Information on Ingredients

The composition of this material is a trade secret. Contains no other components or impurities which will influence the classification with regard to human and environmental risk assessment.

Section 4. First Aid Measures

Eye Contact:

Immediately flush eyes with water for at least 15 minutes. Prolonged or repeated contact may result

in mechanical irritation.

Skin Contact:

Wash with soap and water.

Inhalation:

Move to fresh air. Seek medical attention if irritation develops.

Ingestion:

Dilute with water and induce vomiting. Seek medical attention.

Section 5. Fire Fighting Measures

Flammability of

Not a fire or explosion hazard when stored under normal conditions.

Product:

Fire Fighting Media:

Foam, alcohol foam, CO2, dry chemical, water fog.

Protective Clothing:

This product is an aqueous mixture which will not burn. If evaporated to dryness, the solid residue may pose a moderate fire hazard. No special procedures required besides standard fire fighting

procedures.

Section 6. Accidental Release Measures

Clean-Up Procedures: Collect spilled material with an inert absorbent such as sand or vermiculite. Place in properly labeled and closed container. Dispose of collected material according to federal, state/provincial and local

environmental regulations.

Spills and Leaks:

Contain the spill or leak to prevent discharges to surface streams or storm sewers. This material is a concentrated dye/pigment. Small quantities in contaminated water solutions will color large volumes.

Section 7. Handling and Storage

Handling:

Avoid breathing fumes. General mechanical ventilation can be expected to effectively remove and prevent build up of any vapor or mist generated from handling this product in a closed environment.

Protect eyes to prevent contact. Avoid prolonged or repeated exposure to skin.

Storage:

Keep container in a dry place inaccessible to children and pets at temperatures above freezing.

Keep containers sealed until ready for use.

Section 8. Exposure Control/Personal Protection

Engineering controls:

General mechanical ventilation can be expected to effectively remove and prevent build up of any vapor or mist generated from handling this product in a closed environment.

Personal Protection:

Eyes:

Wear safety glasses with side shields. Wear additional eye protection such as chemical goggles or

face shield if splashing or spraying hazard exists. Have an eye wash station available.

Body:

To prevent skin contact wear coveralls, apron, boots, or lab coat.

Hands:

Avoid skin contact by using chemically resistant gloves.

Respiratory:

No respiratory protection required under normal conditions of use. Use local exhaust to control

excessive vapors/mists. If excessive vapors or mists persist use appropriate NIOSH/MSHA approved

organic vapor/mist respirator.

Other:

Open wounds or skin surface disruptions should be covered with a chemical resistant patch to minimize absorption risks. Clean clothing should be worn daily to avoid possible long-term build up

of the product leading to chronic overexposure.

Section 9. Physical and Chemical Properties

Odor	Slight odor	Vapor Density	Heavier than air
Color	Dark Green	Evaporation Rate	Slower than ether
Physical state	Liquid	Specific Gravity $(H_20 = 1)$	~ 1.3 g/mL
рН	7-8	Solubility	Dispersible
Melting/Freezing Point	NA		

Section 10. Stability and Reactivity

Chemical Stability: This material is chemically stable under normal storage and handling conditions.

Hazardous
Decomposition:

When involved in a fire, burning may evolve noxious fumes which may include carbon monoxide, carbon dioxide, nitrous oxides, acetic acid, or other toxic compounds depending on the chemical composition and combustion conditions. However, all of the water must be driven off first for this to

occur

Hazardous

Is not known to occur.

Polymerization:

Incompatibility (Materials to Avoid):

Mineral acids (i.e., sulfuric, phosphoric, etc); alkalis (i.e. sodium or potassium hydroxide, etc.),

strong oxidizing agents, high heat sources, sparks, open flames.

Section 11. Toxicological Information

Chronic Toxicity: Mutagenic Effects:

None known

Teratogenic Effects:
Developmental

None known None known

Toxicity:

Acute Effects on

May cause skin, eye, and respiratory irritation.

Humans: Sensitization:

Repeated or prolonged exposure to the substance at concentration above the exposure limits may

cause respiratory tract and lung sensitization.

Carcinogenic Effects:

This material is not known to cause cancer in animals or humans.

Existing Medical Conditions Aggravated By Exposure: May provoke asthmatic response in persons with asthma who are sensitive to airway irritants.

Section 12. Ecological Information

Ecotoxicity: No data available, however the material is not expected to have any deleterious toxic effect.

Environmental Fate: No data available regarding the environmental fate or biodegradation.

Section 13. Disposal Considerations

EPA Waste Number:

Non-hazardous waste

Treatment:

Dispose of according to all federal, state/provincial and local environmental regulations.

Section 14. Transport Information

D.O.T. Classification:

Not regulated

IMO/IMDG

Not regulated

Classification:

IATA Classification:

Not regulated

Section 15. Regulatory Information

Hazardous Material Information System III:

Health	1
Fire Hazard	1
Physical Hazard	0
Personal Protection	X

US Federal Regulations:

Product Information:

This product is not considered hazardous.

SARA 311/312:

Acute: No
Chronic: No
Fire: No
Pressure: No
Reactive: No

SARA 313:

No reportable quantities of toxic chemical(s) subject to the reporting requirements of Section 313 of

SARÂ Title III and of 40 CFR 372 are present.

Regulatory Listings

United States

(TSCA):

Listed

Section 16. Other Information

The information is furnished without warranty, representation, inducement or license of any kind, except that it is accurate to the best of Becker Underwood's knowledge. Because use conditions and applicable laws may differ from one location to another and may change with time, Recipient is responsible for determining whether the information is appropriate for recipient's use. Since Becker Underwood has no control over how this information may be ultimately used, all liability is expressly disclaimed and Becker Underwood assumes no liability.